Notice of Allowability	Application No.	Applicant(s)		
	10/711,456	GAMBINO ET AL.		
	Examiner	Art Unit		
	DUNG A. LE	2818		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.				
1. This communication is responsive to <u>9/7/06</u> .				
2. X The allowed claim(s) is/are <u>1-15,17-21 and 61-65</u> .				
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received.				
2. Certified copies of the priority documents have been received in Application No				
3. Copies of the certified copies of the priority documents have been received in this national stage application from the				
International Bureau (PCT Rule 17.2(a)). * Certified copies not received:				
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.				
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.				
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.				
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached				
1) hereto or 2) to Paper No./Mail Date				
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date				
dentifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).				
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal P	Patent Application (PT	O-152)	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	<u> </u>	iew Summary (PTO-413),		
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Da	Paper No./Mail Date Examiner's Amendment/Comment		
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. Examiner's Stateme	ent of Reasons for Allo	owance	
Of Diological Material	9.			
Dlo				

Application/Control Number: 10/711,456

Art Unit: 2818

DETAILED ACTION

Examiner's Amendment.

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Attorney of record on 10/03/06.

Cancel claims 16 and 22-60.

In claim 1, line 11, change "form said wire and said first capping layer; and "to -- form said wire and said first capping layer; --.

In claim 11, lines 12-13, change "(f) after step (e) forming a second capping layer on a top surface of said first capping layer." to -- (f) after step (e) forming a second capping layer on a top surface of said first capping layer; and between steps (e) and (f), cleaning said top surface of said first capping layer. --.

In claim 20, change "first capping layer is thin enough to be transparent to visible light," to -- first capping layer is transparent to visible light, --.

Application/Control Number: 10/711,456

Art Unit: 2818

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dung A. Le whose telephone number is (571) 272-1784. The examiner can normally be reached on Monday-Tuesday and Thursday 6:00am- 4:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew Smith can be reached on (571) 272-1907. The central fax phone numbers for the organization where this application or proceeding is assigned are (571) 272-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

DUNG A. LE 76
Primary Examiner
Art Unit 2818

Page 3